

# **Crystal Unit**

# ■NX3215SA Data Sheet

(for Automotive)

### **Application**

**Automotive equipment** 

#### **Features**

Compact, thin, and light weight tuning fork crystal unit

- Excellent heat resistance and environmental resistance performance
- Reflow temperature profile (Available for lead free soldering)
- Conforms to AEC-Q200



RoHS Compliant
Directive 2011/65/EU
Directive (EU) 2015/863

Pb free

AEC-Q200

1. Item : Crystal Unit

2. Type : NX3215SA

3. Nominal Frequency : 32.768 kHz

4. NDK Spec. No. : Refer to Table1

# 5. Electrical Specifications

	Developed	CVM	Electrical Spec.				Neter		
	Parameters	SYM.	min typ max Un		Units	Notes			
1	Nominal frequency	f <sub>nom</sub>		32.768		kHz			
2	Overtone order	-	Fundamental			-			
3	Load Capacitance	CL	-	Table1	-	pF	Network analyzer		
4	Frequency tolerance	-	-20	-	+20	×10 <sup>-6</sup>	@ +25°C (Not include aging)		
5	Parabolic coefficient	-	+20	-	+30	ů			
6	Temperature Coefficient	-	-	-	-0.04	ppm/ °C <sup>2</sup>			
7	Operating temp. range	T <sub>opr</sub>	-40	-	+125	°C			
8	Storage temp. range	T <sub>str</sub>	-40	-	+125	°C			
9	Level of drive	-	-	0.1	0.5	μW			
10	Equivalent resistance	R <sub>r</sub>	-	-	80	kΩ	Network analyzer / Series		
11	Insulation resistance	-	500	-	-	МΩ	When terminal to terminal were applied at DC100V ±15V.		
12	Air-tightness	-	-	-	1.1×10 <sup>-9</sup>	Pa m³/s			

### Table.1. List of NDK Spec. No.

NDK Spec. No.	Load Capacitance					
	[pF]					
STD-MUS-4	6.0					
STD-MUS-3	9.0					
STD-MUS-2	12.5					

Specifications shown are NDK standard spec. Other specifications than above are also available, so please contact us if you have any request.

#### Mounted conditions

Be sure to use the product under the following conditions. Otherwise, the characteristics deterioration or destruction of the product may result.

#### (1) Reflow soldering heat resistance

Peak Temp. : 260°C, 40 sec.


Heating : 217°C or higher, 150 sec. Preheating : 150~200°C, 180 sec.

Reflow passage times : twice

#### (2) Manual soldering heat resistance

Pressing a soldering iron of 400°C on the terminal electrode for four seconds (twice).


#### Recommendation reflow condition




## Dimension drawing


Unit: mm

Tolerance: +/-0.1mm







### Recommended soldering pattern




### Taping and reel spec.






# Taping and reel spec.



## Marking spec.



NOTE

1. Month Code

Month	1	2	3	4	5	6	7	8	9	10	11	12
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
Month Code	1	2	3	4	5	6	7	8	9	X	Y	Z

2. Frequency Code

A: 32.768kHz

3. Marking Method

Marking Method is Laser Triming.

#### Notes on use

- 1. Even if the appearance color etc. of the product differs by purchasing the component parts by more than two companies, there is no influence on the characteristics and reliability.
- 2. Since the crystal unit is a passive component, it is important to have appropriate circuit conditions. Please be sure to check the circuit conditions before using the crystal units, and ensure the necessary circuit margin, and confirm that the desired frequency is output. Moreover, please check the circuit conditions when using an existing crystal unit for another model or board. If the circuit conditions are not appropriate, there is a risk of oscillation stop or frequency deviation.
- 3. IN THE CASE OF THE FOLLOWING ITEMS, WE ARE NOT RESPONSIBLE FOR WARRANTY / COMPENSATION.
  - (1) WHEN PRODUCTS OF THIS SPECIFICATION ARE USED FOR EQUIPMENT RELATED TO HUMAN LIFE OR PROPERTY, IT IS THE RESPONSIBILITY OF THE CUSTOMER TO CONFIRM THE INFLUENCE ON THIS PRODUCT AND EQUIPMENT TO BE USED BEFOREHAND, CONDUCT NECESSARY SAFETY DESIGN (INCLUDING REDUNDANT DESIGN, MALFUNCTION PREVENTION DESIGN, etc.), AND PLEASE USE IT AFTER SECURING SUFFICIENT SAFETY OF EQUIPMENT.
    - SAFETY-RELATED EQUIPMENT SUCH AS AUTOMOBILES, TRAINS, SHIPS, etc., OR EQUIPMENT DIRECTLY INVOLVED IN OPERATION
    - 2. AIRCRAFT EQUIPMENT
    - 3. SPACE EQUIPMENT
    - 4. MEDICAL EQUIPMENT
    - 5. MILITARY EQUIPMENT
    - 6. DISASTER PREVENTION / CRIME PREVENTION EQUIPMENT
    - 7. TRAFFIC LIGHT
    - OTHER EQUIPMENT REQUIRING THE SAME PERFORMANCE AS THE ABOVE-MENTIONED EQUIPMENT
  - (2) IN CASES WHERE IT IS NOT INDICATED IN THE REQUESTED STANDARD AND IS USED UNDER CONDITIONS OF USE (INCLUDING CIRCUIT MARGIN etc.) THAT CAN NOT BE PREDICTED AT THE PRODUCTION STAGE.
  - (3) WHEN USING ULTRASONIC WELDING MACHINE. (THERE IS A POSSIBILITY THAT THE CHARACTERISTIC DEGRADATION IS CAUSED BY THE RESONANCE PHENOMENON OF THE PIEZOELECTORIC MATERIAL.(EXAMPLE; CRYSTAL PIECE))
    WE WILL NOT TAKE ANY RESPONSIBILITY FOR THE INFLUENCE OF THE CUSTOMERS' PROCESS.SO, PLEASE SUFFICIENTLY EVALUATE AT A SAMPLE STEP WHEN YOU USE ULTRASONIC WELDING MACHINE.
  - (4) USING RESIN MOLD MAY AFFECT THE PRODUCT CHARACTERISTIC.
    PLEASE MAKE SURE TO TELL OUR SALES CONTACT WHEN YOU USE RESIN MOLD. WE
    WILL PERFORM INDIVIDUAL CORRESPONDENCE ABOUT A DELIVERY SPECIFICATION AND
    AN EVALUATION METHOD. IN ADDITION, IF YOU USE RESIN MOLD WITHOUT CONTACTING
    US, AND CAUSES DAMAGES AGAINST A CUSTOMER OR A THIRD PARTY, WE WILL NOT BE
    LIABLE FOR THE DAMAGES AND OTHER RESPONSIBILITIES BECAUSE WE CONSIDER IT IS
    UNDER SELF-RESPONSIBILITY USING RESIN MOLD. WE WILL NOT TAKE ANY RESPONSIBILITY FOR THE INFLUENCE OF THE CUSTOMERS' PROCESS. PLEASE SUFFICIENTLY
    EVALUATE AT A SAMPLE STEP WHEN YOU USE RESIN MOLD.
  - (5) WHEN PERFORMING IMPROPER HANDLING THAT EXCEEDS THE GUARANTEED RANGE.

#### Notes on storage

- 1. When storing the product in high temperature and high humidity condition for a long time, product characteristics (solderability etc.) and packaging condition may be deteriorated. Please store product at temperature + 5°C ~ + 35°C, humidity 85% RH or less. The product is an electronic component, so please do not storage and use, under a dewing state.
- 2. The product storage deadline is 12 months after delivery in unopened state. Please use within storage deadline. If you exceed storage deadline, please check the product characteristics etc, please use.

#### Handling of this document and other requests

Please refer to the "Site Guidance" on our website for the handling of information contained in this document. (https://www.ndk.com/en/terms/)