# molex

**Part Number** : <u>734120110</u>

**Product Description :** MCRF Jack, Straight, PCB Receptacle, Surface Mount, 1.25mm Mounted Height,


50 Ohms

Series Number: 73269

**Status**: Obsolete

**Product Category:** RF / Coaxial Connectors

**Engineering Number:** NT501-5828



#### **Documents & Resources**

#### **Drawings**

734120110 sd.pdf

**3D Models and Design Files** 

STEP AP242

**SOLIDWORKS** 

Creo

**Specifications** 

PS-73598-021-001.pdf



#### Compliance

GADSL/IMDS	Compliant with Exemption 44; 34; 33
China RoHS	e per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

#### **Compliance Statements**

• EU RoHS

- REACH SVHC
- Low-Halogen

## **Industry Documents**

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### **Substances of Interest**

PFAS

## **EU RoHS Certificate of Compliance**

## Additional Product Compliance Information

## **Part Details**

#### **General**

Status	Obsolete
Category	RF / Coaxial Connectors
Series	73269
Description	MCRF Jack, Straight, PCB Receptacle, Surface Mount, 1.25mm Mounted Height, 50 Ohms
Application	RF
Product Name	MCRF
Style	РСВ
Туре	Ultra-microminiature
UPC	822348277643

#### **Electrical**

Frequency	6 GHz
Impedance	50Ω
Power / Voltage	VOLTAGE: 60 Vrms@Sea Level

## **Physical**

Cable Attachment	N/A
Gender	Jack
Keying to Mating Part	N/A
Net Weight	0.016/g

Orientation	Straight
Packaging Type	Embossed Tape on Reel
Panel Mount	No
Panel Mount Method	N/A
PCB Mounting	Surface Mount
PCB Thickness - Recommended	Various
Reverse Polar	No
Wire/Cable Type	N/A

## **Solder Process Data**

Max-Duration	10
Lead-Free Process Capability	REFLOW
Max-Cycle	2
Max-Temp	260

This document was generated on Oct 23, 2025